










which the drummer was   
Pete Best who was later replaced by  
 Ringo Starr who at the same  
**MANUFACTURING**  
time, was also asked to join big  
Mersyside rivals  Gerry and  
the Pacemakers who became the first  
artistes to have consecutive Number 1  
UK hits with their first three releases,  
the first two of which were   
I Like It and How Do You Do It? which  
were written by Beat-Boom composer  
 Mitch Murray who went on to  
write a book entitled  How To  
Write A Hit Song which inspired a  
young  Gordon Sumner to  
become a songwriter and leave his  
then band  Last Exit to form  
The Police with drummer 

# MANUFACTURING

Audio single leads	113-140
Audio splitter assemblies	141-157
Audio speaker assemblies	158-185
Audio multicore looms	186-191

## **VDC stage and wallbox multicore systems**

Box to multipin	192-197
Multicores	198-199
Tailsets	200-201

## **Drum mounted systems**

Audio	202-204
Video	205-207
Data	206

## **Audio broadcast looms**

ENG assemblies	208
OB Cons - 26 pole	208-209
VDMs - 54 pole	209

Video single leads	210-227
Camera assemblies	228-229
VGA to DVI solutions	230-231
RS422/USB/Firewire assemblies	232-233
Cat 5e assemblies	234

Custom design	235
Test, evaluation & repair services	236

# audio single leads

## Neutrik Mono-jack NP2C to Mono-jack NP2C ①

Van Damme 6.00mm SPOFC Classic Instrument cable terminated at each end with Neutrik mono-jack plugs. Connector shells are available in a nickel or black finish with silver contacts. Plugs can be upgraded to a black version with gold contacts and 10 different colours of strain relief boots can be fitted at one or both ends if required. Boot colours and upgrades incur a small additional costing. Cable available in 10 different colours.



Order code	Length	1+	10+	25+
R-101-174-202	0.25m	9.19	8.25	7.03
R-101-000-202	0.5m	9.37	8.41	7.17
R-101-001-202	1m	9.73	8.73	7.44
R-101-175-202	2m	10.47	9.39	8.01
R-101-002-202	3m	11.21	10.05	8.57
R-101-003-202	5m	12.66	11.36	9.68
R-101-004-202	10m	16.29	14.61	12.46
R-101-005-202	15m	19.94	17.89	15.25
R-101-176-202	20m	23.59	21.16	18.04

## Switchcraft Mono-jack 280 to Switchcraft Mono-jack 280 ②

Van Damme 6.00mm SPOFC Classic Instrument cable terminated at each end with Switchcraft mono-jack plugs. Switchcraft connectors are only available in nickel-plated solid brass. Cable available in 10 different colours.



Order code	Length	1+	10+	25+
R-101-179-202	0.25m	9.19	8.25	7.03
R-101-180-202	0.5m	9.37	8.41	7.17
R-101-181-202	1m	9.73	8.73	7.44
R-101-182-202	2m	10.47	9.39	8.01
R-101-183-202	3m	11.21	10.05	8.57
R-101-184-202	5m	12.66	11.36	9.68
R-101-185-202	10m	16.29	14.61	12.46
R-101-186-202	15m	19.94	17.89	15.25
R-101-187-202	20m	23.59	21.16	18.04

## Neutrik Mono-jack NP2C to Switchcraft silent Mono-jack 181 ③

Van Damme 6.00mm SPOFC Classic Instrument cable terminated at one end with Neutrik mono-jack plugs & at the other with Switchcraft 181 silent mono-jack plugs. The Switchcraft plug is designed to short tip-to-ground on insertion and removal for silent operation. This assembly is specifically for guitar to amp/pedal applications. Neutrik connector shells are available in a nickel or black finish with silver contacts. Plugs can be upgraded to a black version with gold contacts and 10 different colours of strain relief boots can be fitted at this end, if required. Boot colours and upgrades incur a small additional costing. Switchcraft connectors are only available in nickel-plated solid brass. Cable available in 10 different colours.



Order code	Length	1+	10+	25+
R-101-634-202	3m	20.52	18.41	15.69
R-101-635-202	5m	21.98	19.71	16.80
R-101-636-202	10m	25.61	22.97	19.58



COMPANY PROFILE



CABLE



MANUFACTURING



LIGHTING



CONNECTORS



PATCHING



RACKING



MAINS



CABLE ACCESSORIES



MISCELLANEOUS



VAN DAMME



APPENDIX



INDEX

# manufacturing

## 4 Neutrik right-angled Mono-jack NP2RCS to Neutrik right-angled Mono-jack NP2RCS



Van Damme 6.00mm SPOFC Classic Instrument cable terminated at each end with slimline right-angled Neutrik mono-jack plugs. Connector shells are only available in a nickel finish. 10 different colours of strain relief boots can be fitted at one or both ends, if required, for a small additional costing. Cable available in 10 different colours.

Order code	Length	1+	10+	25+
R-101-639-202	0.15m	9.61	8.62	7.35
R-101-640-202	0.25m	9.67	8.68	7.40
R-101-641-202	0.5m	9.85	8.84	7.53
R-101-642-202	1m	10.21	9.16	7.81
R-101-643-202	2m	10.95	9.82	8.37
R-101-644-202	3m	11.69	10.48	8.94
R-101-645-202	5m	13.14	11.79	10.05

## 5 Right-angled Switchcraft Mono-jack 226 to right-angled Switchcraft Mono-jack 226



Van Damme 6.00mm SPOFC Classic Instrument cable terminated at each end with right-angled Switchcraft mono-jack plugs. Switchcraft connectors are only available in a nickel-plated solid brass finish. Cable available in 10 different colours.

Order code	Length	1+	10+	25+
R-101-189-202	0.15m	11.59	10.39	8.86
R-101-190-202	0.25m	11.67	10.46	8.92
R-101-191-202	0.5m	11.87	10.64	9.07
R-101-192-202	1m	12.21	10.95	9.33
R-101-193-202	2m	12.90	11.57	9.87
R-101-194-202	3m	13.60	12.20	10.40
R-101-195-202	5m	15.00	13.45	11.47



COMPANY PROFILE



CABLE



MANUFACTURING



LIGHTING



CONNECTORS



PATCHING



RACKING



MAINS



CABLE ACCESSORIES



MISCELLANEOUS



VAN DAMME



APPENDIX



INDEX

# audio single leads

## Neutrik Mono-jack NP2C to right angled Switchcraft 226 Mono-jack 6

Van Damme 6.00mm SPOFC Classic Instrument cable terminated at one end with Neutrik mono-jack plugs & at the other with Switchcraft right-angled mono-jack plugs. Neutrik connector shells are available in a nickel or black finish with silver contacts. Plugs can be upgraded to a black version with gold contacts and 10 different colours of strain relief boots can be fitted at this end, if required. Boot colours and upgrades incur a small additional costing. Switchcraft connectors are only available in nickel-plated solid brass. Cable available in 10 different colours.



Order code	Length	1+	10+	25+
R-101-825-202	0.25m	10.45	9.37	7.99
R-101-826-202	0.5m	10.63	9.53	8.13
R-101-827-202	1m	10.99	9.86	8.40
R-101-828-202	2m	11.73	10.52	8.97
R-101-829-202	3m	12.47	11.18	9.53
R-101-830-202	5m	13.92	12.49	10.64
R-101-831-202	10m	17.55	15.74	13.42
R-101-832-202	15m	21.20	19.01	16.21
R-101-833-202	20m	24.85	22.29	19.00

## Neutrik Mono-jack NP2C to Neutrik right-angled Mono-jack NP2RCS 7

Van Damme 6.00mm SPOFC Classic Instrument cable terminated at one end with Neutrik mono-jack plugs & at the other with Neutrik slimline right-angled mono-jack plugs. Right angle connector shells are only available in a nickel finish. Straight Neutrik connector shells are available in a nickel or black finish with silver contacts. Straight plugs can be upgraded to a black version with gold contacts. 10 different colours of strain relief boots can be fitted at either end, if required. Boot colours and upgrades incur a small additional costing. Cable available in 10 different colours.



Order code	Length	1+	10+	25+
R-101-835-202	0.25m	9.43	8.46	7.21
R-101-836-202	0.5m	9.61	8.62	7.35
R-101-837-202	1m	9.97	8.94	7.62
R-101-838-202	2m	10.71	9.61	8.19
R-101-839-202	3m	11.45	10.27	8.75
R-101-840-202	5m	12.90	11.57	9.87
R-101-841-202	10m	16.55	14.85	12.66
R-101-842-202	15m	20.20	18.12	15.45
R-101-843-202	20m	23.85	21.39	18.24



COMPANY PROFILE



CABLE



MANUFACTURING



LIGHTING



CONNECTORS



PATCHING



RACKING



MAINS



CABLE ACCESSORIES



MISCELLANEOUS



VAN DAMME



APPENDIX



INDEX

# manufacturing

## 8 VDC Gold plated Mono-jack to Gold plated Mono-jack



Van Damme 6.00mm SPOFC Classic Instrument cable terminated at each end with VDC Gold plated mono-jack plugs. Plugs are available with red or white identification markings. (Red ID supplied as standard) Cable available in 10 different colours.

Order code	Length	1+	10+	25+
R-101-201-202	0.25m	6.64	5.96	5.08
R-101-158-202	0.5m	6.84	6.14	5.23
R-101-159-202	1m	7.24	6.49	5.54
R-101-160-202	2m	8.00	7.17	6.11
R-101-161-202	3m	8.78	7.87	6.71
R-101-162-202	5m	10.29	9.23	7.87
R-101-650-202	10m	13.94	12.50	10.66
R-101-651-202	15m	17.59	15.78	13.45
R-101-652-202	20m	21.24	19.05	16.24

## 9 Neutrik Stereo-jack NP3C to Stereo-jack NP3C



Van Damme 6.35mm SPOFC Classic Microphone cable terminated at each end with Neutrik stereo-jack plugs. Connector shells are available in a nickel or black finish with silver contacts. 10 different colours of strain relief boots can be fitted at one or both ends if required, for a small additional costing. Cable available in 10 different colours.

Order code	Length	1+	10+	25+
R-101-217-303	0.25m	12.37	11.09	9.45
R-101-038-303	0.5m	12.60	11.30	9.64
R-101-039-303	1m	13.04	11.70	9.97
R-101-218-303	2m	13.98	12.54	10.69
R-101-040-303	3m	14.90	13.36	11.39
R-101-041-303	5m	16.73	15.01	12.79
R-101-042-303	10m	21.36	19.16	16.33
R-101-043-303	15m	25.97	23.29	19.85
R-101-044-303	20m	30.57	27.42	23.38
R-101-219-303	30m	39.79	35.68	30.42

## 10 Switchcraft Stereo-jack 297 to Stereo-jack 297



Van Damme 6.35mm SPOFC Classic Microphone cable terminated at each end with Switchcraft stereo-jack plugs. Switchcraft connectors are only available in nickel-plated solid brass. Cable available in 10 different colours.

Order code	Length	1+	10+	25+
R-101-221-303	0.25m	12.37	11.09	9.45
R-101-222-303	0.5m	12.60	11.30	9.64
R-101-223-303	1m	13.04	11.70	9.97
R-101-224-303	2m	13.98	12.54	10.69
R-101-225-303	3m	14.90	13.36	11.39
R-101-226-303	5m	16.73	15.01	12.79
R-101-227-303	10m	21.36	19.16	16.33
R-101-228-303	15m	25.97	23.29	19.85
R-101-229-303	20m	30.57	27.42	23.38
R-101-230-303	30m	39.79	35.68	30.42



COMPANY PROFILE



CABLE



MANUFACTURING



LIGHTING



CONNECTORS



PATCHING



RACKING



MAINS



CABLE ACCESSORIES



MISCELLANEOUS



VAN DAMME



APPENDIX



INDEX

# audio single leads

## Right-angled Switchcraft Stereo-jack 236 11 to right-angled Switchcraft Stereo-jack 236

Van Damme 6.35mm SPOFC Classic Microphone cable terminated at each end with right-angled Switchcraft stereo-jack plugs. Switchcraft connectors are only available in nickel-plated solid brass. Cable available in 10 different colours.



Order code	Length	1+	10+	25+
R-101-232-303	0.25m	14.80	13.27	11.31
R-101-233-303	0.5m	15.04	13.49	11.50
R-101-234-303	1m	15.48	13.88	11.83
R-101-235-303	2m	16.41	14.72	12.55
R-101-236-303	3m	17.33	15.54	13.25
R-101-237-303	5m	18.77	16.83	14.35
R-101-238-303	10m	23.79	21.34	18.19
R-101-239-303	15m	28.40	25.47	21.71
R-101-240-303	20m	33.01	29.60	25.24
R-101-241-303	30m	41.82	37.51	31.98

## Neutrik Stereo-jack NP3C to right-angled Switchcraft 12 Stereo-jack 236

Van Damme 6.35mm SPOFC Classic Microphone cable terminated at one end with Neutrik stereo-jack plugs & at the other with Switchcraft right-angled stereo-jack plugs. Neutrik connector shells are available in a nickel or black finish with silver contacts. 10 different colours of strain relief boots can be fitted at this end if required, for a small additional costing. Switchcraft connectors are only available in nickel-plated solid brass. Cable available in 10 different colours.



Order code	Length	1+	10+	25+
R-101-243-303	0.25m	13.58	12.18	10.38
R-101-163-303	0.5m	13.82	12.40	10.57
R-101-164-303	1m	14.26	12.79	10.90
R-101-165-303	2m	15.20	13.63	11.62
R-101-166-303	3m	16.11	14.45	12.32
R-101-167-303	5m	17.95	16.10	13.72
R-101-654-303	10m	22.62	20.28	17.29
R-101-655-303	15m	27.18	24.38	20.78
R-101-656-303	20m	31.79	28.51	24.31
R-101-657-303	30m	41.01	36.78	31.35



COMPANY PROFILE



CABLE




MANUFACTURING



LIGHTING



CONNECTORS



PATCHING



RACKING



MAINS



CABLE ACCESSORIES



MISCELLANEOUS



VAN DAMME



APPENDIX



INDEX

# manufacturing

## 13 VDC Gold plated Stereo-jack to Gold plated Stereo-jack



Van Damme 6.35mm SPOFC Classic Microphone cable terminated at each end with VDC Gold plated stereo-jack plugs. Plugs are available with red or white identification markings. (Red supplied as standard) Cable available in 10 different colours.

Order code	Length	1+	10+	25+
R-101-242-250	0.25m	9.57	8.59	7.32
R-101-242-500	0.5m	9.81	8.80	7.50
R-101-242-001	1m	10.25	9.19	7.84
R-101-242-002	2m	11.19	10.03	8.55
R-101-242-003	3m	12.11	10.86	9.26
R-101-242-005	5m	13.94	12.50	10.66
R-101-242-010	10m	18.57	16.65	14.20
R-101-242-015	15m	23.18	20.78	17.72
R-101-242-020	20m	27.78	24.92	21.24
R-101-242-030	30m	37.00	33.18	28.29

## 14 Metal mini Mono-jack to mini Mono-jack



Van Damme 4.80mm SPOFC Pro Unbalanced Patch Low Noise cable terminated at each end with small-bodied nickel 3.5mm mini mono-jack plugs. The small profile of these connectors is suited for applications where space is limited. The mini mono-jack plug is only available with a nickel finish. Cable available in 3 different colours: Black, red or blue.

Order code	Length	1+	10+	25+
R-101-658-909	0.25m	6.64	5.96	5.08
R-101-659-909	0.5m	6.84	6.14	5.23
R-101-660-909	1m	7.24	6.49	5.54
R-101-661-909	2m	8.00	7.17	6.11
R-101-662-909	3m	8.78	7.87	6.71
R-101-663-909	5m	10.29	9.23	7.87
R-101-664-909	10m	13.94	12.50	10.66

## 15 Heavy duty mini Mono-jack to mini Mono-jack



Van Damme 6.00mm SPOFC Classic Instrument cable terminated at each end with large-bodied metal 3.5mm mini mono-jack plugs. These robust connectors are made from nickel-plated zinc and are fitted with spring cable protection. Cable available in 10 different colours.

Order code	Length	1+	10+	25+
R-101-668-909	0.25m	9.19	8.25	7.03
R-101-669-909	0.5m	9.37	8.41	7.17
R-101-670-909	1m	9.73	8.73	7.44
R-101-671-909	2m	10.47	9.39	8.01
R-101-672-909	3m	11.21	10.05	8.57
R-101-673-909	5m	12.66	11.36	9.68
R-101-674-909	10m	16.29	14.61	12.46



COMPANY PROFILE



CABLE



MANUFACTURING



LIGHTING



CONNECTORS



PATCHING



RACKING



MAINS



CABLE ACCESSORIES



MISCELLANEOUS



VAN DAMME



APPENDIX



INDEX

# audio single leads

## Metal mini Stereo-jack to mini Stereo-jack (16)

Van Damme 4.85mm SPOFC Classic Pro-Patch cable terminated at each end with small-bodied nickel 3.5mm mini stereo-jack plugs. The small profile of these connectors is suited for applications where space is limited such as PC's. The mini stereo-jack plug is only available with a nickel finish. Cable available in 10 different colours.



Order code	Length	1+	10+	25+
R-101-252-808	0.25m	9.57	8.59	7.32
R-101-253-808	0.5m	9.81	8.80	7.50
R-101-254-808	1m	10.25	9.19	7.84
R-101-255-808	2m	11.19	10.03	8.55
R-101-256-808	3m	12.11	10.86	9.26
R-101-257-808	5m	13.94	12.50	10.66
R-101-678-808	10m	18.57	16.65	14.20
R-101-679-808	15m	23.18	20.78	17.72
R-101-680-808	20m	27.78	24.92	21.24
R-101-681-808	30m	37.00	33.18	28.29

## Heavy duty mini Stereo-jack to heavy duty mini Stereo-jack (17)

Van Damme 6.35mm SPOFC Classic Microphone cable terminated at each end with large-bodied metal 3.5mm mini stereo-jack plugs. These robust connectors are made from nickel-plated zinc and are fitted with spring cable protection. Cable available in 10 different colours.



Order code	Length	1+	10+	25+
R-101-682-808	0.25m	12.37	11.09	9.45
R-101-683-808	0.5m	12.60	11.30	9.64
R-101-684-808	1m	13.04	11.70	9.97
R-101-685-808	2m	13.98	12.54	10.69
R-101-686-808	3m	14.90	13.36	11.39
R-101-687-808	5m	16.73	15.01	12.79
R-101-688-808	10m	21.36	19.16	16.33
R-101-689-808	15m	25.97	23.29	19.85
R-101-690-808	20m	30.57	27.42	23.38
R-101-691-808	30m	39.79	35.68	30.42

## Neutrik Mono-jack NP2C to XLR male NC3MX (18)

Van Damme 6.00mm SPOFC Classic Instrument cable terminated at one end with Neutrik mono-jack plugs and at the other with Neutrik 3-pole male XLR. Mono-jack shells are available in a nickel or black finish with silver contacts. Plugs can be upgraded to a black version with gold contacts if required. Neutrik XLR connectors are nickel finish with silver contacts or can be upgraded to black shells with silver or gold contacts. 10 different colours of strain relief boots can be fitted at one or both ends if required. Boot colours and upgrades incur a small additional costing. Cable available in 10 different colours.



Order code	Length	1+	10+	25+
R-101-294-200	0.25m	9.19	8.25	7.03
R-101-012-200	0.5m	9.37	8.41	7.17
R-101-013-200	1m	9.73	8.73	7.44
R-101-295-200	2m	10.47	9.39	8.01
R-101-014-200	3m	11.21	10.05	8.57
R-101-015-200	5m	12.66	11.36	9.68
R-101-016-200	10m	16.29	14.61	12.46
R-101-017-200	15m	19.94	17.89	15.25
R-101-018-200	20m	23.59	21.16	18.04



COMPANY PROFILE



CABLE



MANUFACTURING



LIGHTING



CONNECTORS



PATCHING



RACKING



MAINS



CABLE ACCESSORIES



MISCELLANEOUS



VAN DAMME



APPENDIX



INDEX

# manufacturing



COMPANY PROFILE



CABLE



MANUFACTURING



LIGHTING



CONNECTORS



PATCHING



RACKING



MAINS



CABLE ACCESSORIES



MISCELLANEOUS



VAN DAMME



APPENDIX



INDEX

## 19 Neutrik Mono-jack NP2C to XLR female NC3FX



Van Damme 6.00mm SPOFC Classic Instrument cable terminated at one end with Neutrik mono-jack plugs and at the other with Neutrik 3-pole female XLR. Mono-jack shells are available in a nickel or black finish with silver contacts. Plugs can be upgraded to a black version with gold contacts if required. Neutrik XLR connectors are nickel finish with silver contacts or can be upgraded to black shells with silver or gold contacts. 10 different

colours of strain relief boots can be fitted at one or both ends if required. Boot colours and upgrades incur a small additional costing. Cable available in 10 different colours.

Order code	Length	1+	10+	25+
R-101-294-201	0.25m	9.53	8.55	7.29
R-101-012-201	0.5m	9.71	8.71	7.43
R-101-013-201	1m	10.07	9.03	7.70
R-101-295-201	2m	10.81	9.69	8.26
R-101-014-201	3m	11.55	10.36	8.83
R-101-015-201	5m	13.00	11.66	9.94
R-101-016-201	10m	16.63	14.92	12.72
R-101-017-201	15m	20.28	18.19	15.51
R-101-018-201	20m	23.93	21.46	18.30

## 20 Neutrik mono-jack NP2C to GPO jack NP3TB



Van Damme 6.30mm SPOFC Classic Microphone cable terminated at one end with a Neutrik mono-jack plug and at the other with a Neutrik GPO B-gauge jack plug. Mono-jack shells are available in a nickel or black finish with silver contacts. Plugs can be upgraded to a black version with gold contacts if required. 10 different colours of strain relief boots can be fitted at this end if required. Boot colours and upgrades incur a small additional costing. The

GPO jack-plug is available with black or red bodies. (Black supplied as standard) Cable available in 10 different colours.

Order code	Length	1+	10+	25+
R-101-692-205	0.25m	13.12	11.77	10.03
R-101-027-205	0.5m	13.32	11.95	10.19
R-101-028-205	1m	13.66	12.25	10.45
R-101-302-205	2m	14.36	12.88	10.98
R-101-029-205	3m	15.04	13.49	11.50
R-101-030-205	5m	16.43	14.74	12.57
R-101-303-205	10m	19.88	17.83	15.20
R-101-693-205	15m	23.33	20.93	17.84
R-101-694-205	20m	26.78	24.02	20.48

## 21 Neutrik mono-jack NP2C to bantam jack NP3TT-1



Van Damme 4.85mm SPOFC Classic Pro-Patch cable terminated at one end with a Neutrik mono-jack plug and at the other with a Neutrik crimp style bantam jack plug. Mono-jack shells are available in a nickel or black finish with silver contacts. Plugs can be upgraded to a black version with gold contacts if required and have a choice of 10 different colour strain relief boots. The bantam plug has a choice of 10 different coloured sleeves

available. Boot/sleeve colours and upgrades incur a small additional costing. Cable available in 10 different colours.

Order code	Length	1+	10+	25+
R-101-696-206	0.25m	13.30	11.93	10.17
R-101-023-206	0.5m	13.50	12.11	10.32
R-101-024-206	1m	13.86	12.43	10.60
R-101-300-206	2m	14.56	13.06	11.13
R-101-025-206	3m	15.24	13.67	11.65
R-101-026-206	5m	16.61	14.90	12.70
R-101-301-206	10m	20.08	18.01	15.36
R-101-697-206	15m	23.55	21.12	18.01
R-101-698-206	20m	27.02	24.24	20.66

# audio single leads

## Neutrik Mono-jack NP2C to Neutrik phono 22

Van Damme 6.00mm SPOFC Classic Instrument cable terminated at one end with Neutrik mono-jack plugs & at the other with a Neutrik phono plug. Mono-jack shells are available in a nickel or black finish with silver contacts. Plugs can be upgraded to a black version with gold contacts if required and have a choice of 10 different colour strain relief boots. Boot colours and upgrades incur a small additional costing. Neutrik phono connectors are black bodied with a choice of 6 different colour I.D.'s. (Black supplied as standard) Cable available in 10 different colours.



Order code	Length	1+	10+	25+
R-101-259-204	0.25m	9.19	8.25	7.03
R-101-006-204	0.5m	9.37	8.41	7.17
R-101-007-204	1m	9.73	8.73	7.44
R-101-260-204	2m	10.47	9.39	8.01
R-101-008-204	3m	11.21	10.05	8.57
R-101-009-204	5m	12.66	11.36	9.68
R-101-010-204	10m	16.29	14.61	12.46
R-101-011-204	15m	19.94	17.89	15.25
R-101-261-204	20m	23.59	21.16	18.04

## Switchcraft Mono-jack 280 to Neutrik phono 23

Van Damme 6.00mm SPOFC Classic Instrument cable terminated at one end with Switchcraft mono-jack plugs & at the other with a Neutrik phono plug. Switchcraft connectors are only available in nickel-plated solid brass. Neutrik phono connectors are black bodied with a choice of 6 different colour I.D.'s. (Black supplied as standard) Cable available in 10 different colours.



Order code	Length	1+	10+	25+
R-101-264-204	0.25m	9.19	8.25	7.03
R-101-265-204	0.5m	9.37	8.41	7.17
R-101-266-204	1m	9.73	8.73	7.44
R-101-267-204	2m	10.47	9.39	8.01
R-101-268-204	3m	11.21	10.05	8.57
R-101-269-204	5m	12.66	11.36	9.68
R-101-270-204	10m	16.29	14.61	12.46
R-101-271-204	15m	19.94	17.89	15.25
R-101-272-204	20m	23.59	21.16	18.04

## Neutrik Mono-jack NP2C to heavy-duty phono 24

Van Damme 6.00mm SPOFC Classic Instrument cable terminated at one end with Neutrik mono-jack plugs & at the other with a Van Damme heavy-duty phono plug. Mono-jack connectors are available in a nickel or black finish with silver contacts. Plugs can be upgraded to a black version with gold contacts if required and have a choice of 10 different colour strain relief boots. Boot colours and upgrades incur a small additional costing. Van Damme phono plugs are available with 2 different I.D.colours. (Red supplied as standard) Cable available in 10 different colours.



Order code	Length	1+	10+	25+
R-101-275-204	0.25m	11.25	10.09	8.60
R-101-276-204	0.5m	11.45	10.27	8.75
R-101-277-204	1m	11.79	10.57	9.01
R-101-278-204	2m	12.49	11.20	9.55
R-101-279-204	3m	13.16	11.81	10.06
R-101-280-204	5m	14.58	13.08	11.15
R-101-281-204	10m	18.03	16.17	13.79
R-101-288-204	15m	21.50	19.28	16.44
R-101-289-204	20m	24.97	22.39	19.09



COMPANY PROFILE



CABLE




MANUFACTURING



LIGHTING



CONNECTORS



PATCHING



RACKING



MAINS



CABLE ACCESSORIES



MISCELLANEOUS



VAN DAMME



APPENDIX



INDEX

# manufacturing

## 25 VDC Gold plated Mono-jack to Neutrik phono



Van Damme 6.00mm SPOFC Classic Instrument cable terminated at one end with VDC gold plated mono-jack plugs & at the other with a Neutrik phono plug. VDC mono-jack plugs are available with red or white identification markings. (Red supplied as standard) Neutrik phono connectors are black bodied with a choice of 6 different colour I.D.'s. (Black supplied as standard) Cable available in 10 different colours.

Order code	Length	1+	10+	25+
R-101-700-204	0.25m	6.64	5.96	5.08
R-101-292-204	0.5m	6.84	6.14	5.23
R-101-168-204	1m	7.24	6.49	5.54
R-101-169-204	2m	8.00	7.17	6.11
R-101-170-204	3m	8.78	7.87	6.71
R-101-171-204	5m	10.29	9.23	7.87
R-101-172-204	10m	13.94	12.50	10.66
R-101-701-204	15m	17.59	15.78	13.45
R-101-702-204	20m	21.24	19.05	16.24

## 26 Neutrik mono-jack NP2C to mini mono-jack



Van Damme 4.80mm SPOFC Pro Unbalanced Patch Low Noise cable terminated at one end with a Neutrik mono-jack plug and at the other with a small-bodied nickel 3.5mm mini mono-jack plug. The small profile of these connectors is suited for applications where space is limited. Neutrik mono-jack connectors are available in a nickel or black finish with silver contacts. Plugs can be upgraded to a black version with gold contacts if required and have a choice of 10 different colour strain relief boots. The mini mono-jack plug is only available with a nickel finish. Boot colours and upgrades incur a small additional costing. Cable available in 3 different colours: Black, red or blue.

Order code	Length	1+	10+	25+
R-101-298-209	0.25m	8.76	7.85	6.69
R-101-019-209	0.5m	8.93	8.01	6.83
R-101-020-209	1m	9.27	8.32	7.09
R-101-299-209	2m	9.97	8.94	7.62
R-101-021-209	3m	10.67	9.57	8.16
R-101-022-209	5m	12.07	10.82	9.23
R-101-704-209	10m	15.56	13.95	11.89

## 27 Neutrik mono-jack NP2C to heavy duty mini mono-jack



Van Damme 6.00mm SPOFC Classic Instrument cable terminated at one end with a Neutrik mono-jack plug and at the other with a large-bodied metal 3.5mm mini mono-jack plug. Mono-jack shells are available in a nickel or black finish with silver contacts. Plugs can be upgraded to a black version with gold contacts if required and have a choice of 10 different colour strain relief boots. Boot colours and upgrades incur a small additional costing.

The mini mono-jack connectors are made from nickel-plated zinc and are fitted with spring cable protection. Cable available in 10 different colours.

Order code	Length	1+	10+	25+
R-101-708-209	0.25m	9.19	8.25	7.03
R-101-709-209	0.5m	9.37	8.41	7.17
R-101-710-209	1m	9.73	8.73	7.44
R-101-711-209	2m	10.47	9.39	8.01
R-101-712-209	3m	11.21	10.05	8.57
R-101-713-209	5m	12.66	11.36	9.68
R-101-714-209	10m	16.29	14.61	12.46



COMPANY PROFILE



CABLE




MANUFACTURING



LIGHTING



CONNECTORS



PATCHING



RACKING



MAINS



CABLE ACCESSORIES



MISCELLANEOUS



VAN DAMME



APPENDIX



INDEX

# audio single leads

## Neutrik stereo-jack NP3C to XLR male NC3MX (28)

Van Damme 6.35mm SPOFC Classic Microphone cable terminated at one end with Neutrik stereo-jack plugs and at the other with a Neutrik 3-pole male XLR. Plug connector shells are available in a nickel or black finish with silver contacts. Neutrik XLR connectors are nickel finish with silver contacts or can be upgraded to black shells with silver or gold contacts. 10 different colours of strain relief boots can be fitted at one or both ends if required. Boot colours and upgrades incur a small additional costing. Cable available in 10 different colours.



Order code	Length	1+	10+	25+
R-101-305-300	0.25m	9.95	8.93	7.61
R-101-031-300	0.5m	10.19	9.14	7.79
R-101-032-300	1m	10.59	9.50	8.10
R-101-306-300	2m	11.47	10.29	8.77
R-101-033-300	3m	12.31	11.04	9.41
R-101-034-300	5m	14.04	12.59	10.74
R-101-035-300	10m	18.33	16.44	14.01
R-101-036-300	15m	22.64	20.30	17.31
R-101-037-300	20m	26.92	24.15	20.59
R-101-307-300	30m	35.50	31.84	27.14

## Neutrik stereo-jack NP3C to XLR female NC3FX (29)

Van Damme 6.35mm SPOFC Classic Microphone cable terminated at one end with Neutrik stereo-jack plugs and at the other with a Neutrik 3-pole female XLR. Plug connector shells are available in a nickel or black finish with silver contacts. Neutrik XLR connectors are nickel finish with silver contacts or can be upgraded to black shells with silver or gold contacts. 10 different colours of strain relief boots can be fitted at one or both ends if required. Boot colours and upgrades incur a small additional costing. Cable available in 10 different colours.



Order code	Length	1+	10+	25+
R-101-305-301	0.25m	10.29	9.23	7.87
R-101-031-301	0.5m	10.53	9.44	8.05
R-101-032-301	1m	10.95	9.82	8.37
R-101-306-301	2m	11.81	10.59	9.03
R-101-033-301	3m	12.64	11.34	9.67
R-101-034-301	5m	14.38	12.90	10.99
R-101-035-301	10m	18.67	16.74	14.27
R-101-036-301	15m	22.98	20.61	17.57
R-101-037-301	20m	27.26	24.45	20.85
R-101-307-301	30m	35.84	32.14	27.40



COMPANY PROFILE



CABLE



MANUFACTURING



LIGHTING



CONNECTORS



PATCHING



RACKING



MAINS



CABLE ACCESSORIES



MISCELLANEOUS



VAN DAMME



APPENDIX



INDEX

# manufacturing



COMPANY PROFILE



CABLE



MANUFACTURING



LIGHTING



CONNECTORS



PATCHING



RACKING



MAINS



CABLE ACCESSORIES



MISCELLANEOUS



VAN DAMME



APPENDIX



INDEX

## 30 Switchcraft stereo-jack 297 to XLR male NC3MX



Van Damme 6.35mm SPOFC Classic Microphone cable terminated at one end with Switchcraft stereo-jack plugs and at the other with a Neutrik 3-pole male XLR. Switchcraft connectors are only available in nickel-plated solid brass. Neutrik XLR connectors are nickel finish with silver contacts or can be upgraded to black shells with silver or gold contacts. 10 different colours of strain relief boots can be fitted at this end if required. Boot colours and

upgrades incur a small additional costing. Cable available in 10 different colours.

Order code	Length	1+	10+	25+
R-101-309-300	0.25m	9.95	8.93	7.61
R-101-310-300	0.5m	10.19	9.14	7.79
R-101-311-300	1m	10.59	9.50	8.10
R-101-312-300	2m	11.47	10.29	8.77
R-101-313-300	3m	12.31	11.04	9.41
R-101-314-300	5m	14.04	12.59	10.74
R-101-315-300	10m	18.33	16.44	14.01
R-101-316-300	15m	22.64	20.30	17.31
R-101-317-300	20m	26.92	24.15	20.59
R-101-318-300	30m	35.50	31.84	27.14

## 31 Switchcraft stereo-jack 297 to XLR female NC3FX



Van Damme 6.35mm SPOFC Classic Microphone cable terminated at one end with Switchcraft stereo-jack plugs and at the other with a Neutrik 3-pole female XLR. Switchcraft connectors are only available in nickel-plated solid brass. Neutrik XLR connectors are nickel finish with silver contacts or can be upgraded to black shells with silver or gold contacts. 10 different colours of strain relief boots can be fitted at this end if required. Boot colours and upgrades incur a small additional costing. Cable available in 10 different colours.

Order code	Length	1+	10+	25+
R-101-309-301	0.25m	10.29	9.23	7.87
R-101-310-301	0.5m	10.53	9.44	8.05
R-101-311-301	1m	10.95	9.82	8.37
R-101-312-301	2m	11.81	10.59	9.03
R-101-313-301	3m	12.64	11.34	9.67
R-101-314-301	5m	14.38	12.90	10.99
R-101-315-301	10m	18.67	16.74	14.27
R-101-316-301	15m	22.98	20.61	17.57
R-101-317-301	20m	27.26	24.45	20.85
R-101-318-301	30m	35.84	32.14	27.40

# audio single leads

## Switchcraft right-angle stereo-jack 236 to XLR male NC3MX (32)

Van Damme 6.35mm SPOFC Classic Microphone cable terminated at one end with Switchcraft right-angle stereo-jack plugs and at the other with a Neutrik 3-pole male XLR. Switchcraft connectors are only available in nickel-plated solid brass. Neutrik XLR connectors are nickel finish with silver contacts or can be upgraded to black shells with silver or gold contacts. 10 different colours of strain relief boots can be fitted at this end if required. Boot colours and upgrades incur a small additional costing. Cable available in 10 different colours.



Order code	Length	1+	10+	25+
R-101-320-300	0.25m	11.17	10.02	8.54
R-101-321-300	0.5m	11.41	10.23	8.72
R-101-322-300	1m	11.81	10.59	9.03
R-101-323-300	2m	12.68	11.38	9.70
R-101-324-300	3m	13.52	12.13	10.34
R-101-325-300	5m	15.26	13.68	11.67
R-101-326-300	10m	19.55	17.53	14.94
R-101-327-300	15m	23.85	21.39	18.24
R-101-328-300	20m	28.14	25.24	21.52
R-101-329-300	30m	36.72	32.93	28.07

## Switchcraft right-angle stereo-jack 236 to XLR female NC3FX (33)

Van Damme 6.35mm SPOFC Classic Microphone cable terminated at one end with Switchcraft right-angle stereo-jack plugs and at the other with a Neutrik 3-pole female XLR. Switchcraft connectors are only available in nickel-plated solid brass. Neutrik XLR connectors are nickel finish with silver contacts or can be upgraded to black shells with silver or gold contacts. 10 different colours of strain relief boots can be fitted at this end if required. Boot colours and upgrades incur a small additional costing. Cable available in 10 different colours.



Order code	Length	1+	10+	25+
R-101-320-301	0.25m	11.51	10.32	8.80
R-101-321-301	0.5m	11.75	10.54	8.98
R-101-322-301	1m	12.15	10.89	9.29
R-101-323-301	2m	13.02	11.68	9.96
R-101-324-301	3m	13.86	12.43	10.60
R-101-325-301	5m	15.60	13.99	11.92
R-101-326-301	10m	19.88	17.83	15.20
R-101-327-301	15m	24.19	21.70	18.50
R-101-328-301	20m	28.48	25.54	21.78
R-101-329-301	30m	37.06	33.23	28.33



COMPANY PROFILE



CABLE



MANUFACTURING



LIGHTING



CONNECTORS



PATCHING



RACKING



MAINS



CABLE ACCESSORIES



MISCELLANEOUS



VAN DAMME



APPENDIX



INDEX

# manufacturing

## 34 Neutrik stereo-jack NP3C to GPO jack NP3TB



Van Damme 6.35mm SPOFC Classic Microphone cable terminated at one end with a Neutrik stereo-jack plug and at the other with a GPO B-gauge jack plug. The Neutrik stereo-jack is available in nickel or black finish and with a choice of 10 different colour strain relief boots if required, for a small additional costing. The GPO plug is available with black or red bodies. (Black supplied as standard) Cable available in 10 different colours.

Order code	Length	1+	10+	25+
R-101-718-305	0.25m	15.14	13.58	11.57
R-101-059-305	0.5m	15.36	13.77	11.74
R-101-060-305	1m	15.70	14.08	12.00
R-101-342-305	2m	16.43	14.74	12.57
R-101-061-305	3m	17.15	15.38	13.11
R-101-062-305	5m	18.61	16.69	14.23
R-101-343-305	10m	22.24	19.94	17.00
R-101-719-305	15m	25.87	23.20	19.78
R-101-720-305	20m	29.50	26.45	22.55
R-101-721-305	30m	36.96	33.14	28.26

## 35 Neutrik stereo-jack NP3C to bantam NP3TT-1



Van Damme 4.85mm SPOFC Classic Pro-Patch cable terminated at one end with a Neutrik stereo-jack plug and at the other with a Neutrik crimp style bantam-jack plug. The Neutrik stereo-jack is available in nickel or black finish and with a choice of 10 different colour strain relief boots. The bantam plug has a choice of 10 different coloured sleeves available. Either can be fitted for a small additional costing. Cable available in 10 different colours.

Order code	Length	1+	10+	25+
R-101-338-306	0.25m	15.32	13.74	11.71
R-101-055-306	0.5m	15.54	13.93	11.88
R-101-056-306	1m	15.88	14.24	12.14
R-101-339-306	2m	16.61	14.90	12.70
R-101-057-306	3m	17.33	15.54	13.25
R-101-058-306	5m	18.79	16.85	14.36
R-101-340-306	10m	22.42	20.11	17.14
R-101-341-306	15m	26.05	23.36	19.92
R-101-722-306	20m	29.68	26.62	22.69
R-101-723-306	30m	37.14	33.31	28.39

## 36 Stereo-jack NP3C to stereo-jack socket NJ3FC6C



Specifically for headphone extensions, this assembly is made from 3x0.75mm PVC jacketed mains cable terminated at one end with a Neutrik stereo-jack plug and at the other with a stereo-jack socket. Connector shells are available in nickel or can be upgraded to black finishes. 10 different colours of strain relief boots can be fitted at one or both ends if required. Boot colours and upgrades incur a small additional costing. Cable available in black, white or orange.

Order code	Length	1+	10+	25+
R-101-427-309	5m	19.72	17.69	15.08
R-101-428-309	10m	24.35	21.84	18.62
R-101-429-309	15m	28.96	25.97	22.14
R-101-430-309	20m	33.57	30.10	25.66
R-101-431-309	30m	42.78	38.37	32.71



COMPANY PROFILE



CABLE



MANUFACTURING



LIGHTING



CONNECTORS



PATCHING



RACKING



MAINS



CABLE ACCESSORIES



MISCELLANEOUS



VAN DAMME



APPENDIX



INDEX

# audio single leads

## Neutrik stereo-jack NP3C to mini stereo-jack 37

Van Damme 4.85mm SPOFC Classic Pro-Patch cable terminated at one end with a Neutrik stereo-jack plug and at the other with a small-bodied nickel 3.5mm mini stereo-jack plug. The small profile of these connectors is suited for applications where space is limited. The Neutrik jack is available in nickel or black finish and with a choice of 10 different colour strain relief boots, for a small additional charge. The mini stereo-jack plug is only available with a nickel finish. Cable available in 10 different colours.



Order code	Length	1+	10+	25+
R-101-336-308	0.25m	9.79	8.78	7.49
R-101-051-308	0.5m	10.01	8.98	7.65
R-101-052-308	1m	10.45	9.37	7.99
R-101-337-308	2m	11.37	10.20	8.69
R-101-053-308	3m	12.25	10.98	9.36
R-101-054-308	5m	14.08	12.63	10.77
R-101-729-308	10m	18.51	16.60	14.15

## Neutrik stereo-jack NP3C to Heavy-duty mini stereo-jack 38

Van Damme 6.35mm SPOFC Classic Microphone cable terminated at one end with a Neutrik stereo-jack plug and at the other with a large-bodied metal 3.5mm mini stereo-jack plug. The Neutrik jack is available in nickel or black finish and with a choice of 10 different colour strain relief boots, for a small additional costing. The mini stereo-jack connectors are made from nickel-plated zinc and are fitted with spring cable protection. Cable available in 10 different colours.



Order code	Length	1+	10+	25+
R-101-452-308	0.25m	12.37	11.09	9.45
R-101-453-308	0.5m	12.60	11.30	9.64
R-101-454-308	1m	13.04	11.70	9.97
R-101-456-308	2m	13.98	12.54	10.69
R-101-457-308	3m	14.90	13.36	11.39
R-101-458-308	5m	16.73	15.01	12.79
R-101-459-308	10m	21.16	18.98	16.18

## Standard microphone cables Neutrik NC3MX to NC3FX 39

Van Damme 6.35mm SPOFC Classic Microphone cable terminated with Neutrik male 3-pole XLR connectors at one-end and female 3-pole XLR connectors at the other. Neutrik XLR connectors are nickel finish with silver contacts or can be upgraded to black shells with silver or gold contacts. 10 different colours of strain relief boots can be fitted at one or both ends if required. Boot colours and upgrades incur a small additional costing. Cable available in 10 different colours.



Order code	Length	1+	10+	25+
R-101-345-001	0.25m	9.39	8.42	7.18
R-101-063-001	0.5m	9.65	8.66	7.38
R-101-064-001	1m	9.89	8.87	7.56
R-101-346-001	2m	10.47	9.39	8.01
R-101-065-001	3m	10.75	9.64	8.22
R-101-066-001	5m	11.95	10.71	9.13
R-101-067-001	10m	15.92	14.27	12.17
R-101-068-001	15m	19.86	17.82	15.19
R-101-069-001	20m	23.63	21.20	18.07
R-101-070-001	30m	31.27	28.05	23.91



COMPANY PROFILE



CABLE



MANUFACTURING



LIGHTING



CONNECTORS



PATCHING



RACKING



MAINS



CABLE ACCESSORIES



MISCELLANEOUS



VAN DAMME



APPENDIX



INDEX

# manufacturing

## 40 Microphone cable – variants



Van Damme 6.35mm SPOFC Classic Microphone cable terminated with Neutrik male and female 3-pole XLR connectors. These cables are variants of section 39 above. As well as male-to-male and female-to-female adaptor assemblies we have listed "earth lift" and "phase reversing" specification assemblies. These are conventionally made using green and yellow colours of cable respectively to differentiate them from the usual wiring conventions in use. Neutrik XLR connectors are nickel finish with silver contacts or can be upgraded to black shells with silver or gold contacts. 10 different colours of strain relief boots can be fitted at one or both ends if required. Boot colours and upgrades incur a small additional costing. Cable available in 10 different colours.

Order code	Length	1+	10+	25+
R-101-345-101	M to M	9.05	8.12	6.92
R-101-063-101	M to M	9.31	8.35	7.12
R-101-345-000	F to F	9.73	8.73	7.44
R-101-063-000	F to F	9.99	8.96	7.64
R-101-345-051	M to F Earth lift	9.39	8.42	7.18
R-101-063-051	M to F Earth lift	9.65	8.66	7.38
R-101-345-041	M to F Phase rev.	9.39	8.42	7.18
R-101-063-041	M to F Phase rev.	9.65	8.66	7.38

## 41 Quad microphone cables Neutrik NC3MX to NC3FX



Van Damme 6.00mm SPOFC Classic Quad Microphone cable Microphone cable terminated with Neutrik male and female 3-pole XLR connectors. Neutrik XLR connectors are nickel finish with silver contacts or can be upgraded to black shells with silver or gold contacts. 10 different colours of strain relief boots can be fitted at one or both ends if required. Boot colours and upgrades incur a small additional costing. Cable available in 10 different colours.

Order code	Length	1+	10+	25+
R-101-348-001	0.25m	10.03	9.00	7.67
R-101-071-001	0.5m	10.25	9.19	7.84
R-101-072-001	1m	10.71	9.61	8.19
R-101-349-001	2m	11.59	10.39	8.86
R-101-073-001	3m	12.47	11.18	9.53
R-101-074-001	5m	14.24	12.77	10.89
R-101-075-001	10m	18.65	16.72	14.26
R-101-076-001	15m	23.08	20.70	17.64
R-101-077-001	20m	27.50	24.67	21.03
R-101-078-001	30m	36.34	32.59	27.78

## 42 Stereo microphone cables (5-pole) Neutrik NC5MX to NC5FX



Van Damme 6.00mm SPOFC Classic Quad Microphone cable Microphone cable terminated with Neutrik male and female 5-pole XLR connectors. Neutrik XLR connectors are nickel finish with silver contacts or can be upgraded to black shells with silver or gold contacts. 10 different colours of strain relief boots can be fitted at one or both ends if required. Boot colours and upgrades incur a small additional costing. Cable available in 10 different colours.

Order code	Length	1+	10+	25+
R-101-743-001	0.25m	17.71	15.88	13.54
R-101-744-001	0.5m	17.93	16.08	13.71
R-101-745-001	1m	18.39	16.49	14.06
R-101-415-001	2m	19.27	17.28	14.73
R-101-132-001	3m	20.14	18.07	15.40
R-101-033-001	5m	21.92	19.66	16.76
R-101-134-001	10m	26.33	23.61	20.13
R-101-416-001	15m	30.75	27.58	23.51
R-101-417-001	20m	35.18	31.55	26.90
R-101-418-001	30m	44.02	39.48	33.65



COMPANY PROFILE



CABLE



MANUFACTURING



LIGHTING



CONNECTORS



PATCHING



RACKING



MAINS



CABLE ACCESSORIES



MISCELLANEOUS



VAN DAMME



APPENDIX



INDEX

# audio single leads

## XLR male NC3MX to Neutrik phono 43

Van Damme 6.00mm SPOFC Classic Instrument cable terminated at one end with Neutrik 3- pole XLR male & at the other with a Neutrik phono plug. Neutrik XLR connectors are nickel finish with silver contacts or can be upgraded to black shells with silver or gold contacts. 10 different colours of strain relief boots can be fitted at this end if required. Boot colours and upgrades incur a small additional costing. Neutrik phono plug connectors are black bodied with a choice of 6 different colour I.D.'s. (Black supplied as standard) Cable available in 10 different colours.



Order code	Length	1+	10+	25+
R-101-746-004	0.25m	9.19	8.25	7.03
R-101-083-004	0.5m	9.37	8.41	7.17
R-101-084-004	1m	9.73	8.73	7.44
R-101-352-004	2m	10.47	9.39	8.01
R-101-085-004	3m	11.21	10.05	8.5
R-101-086-004	5m	12.66	11.36	9.68
R-101-353-004	10m	16.29	14.61	12.46

## XLR female NC3FX to Neutrik phono 44

Van Damme 6.00mm SPOFC Classic Instrument cable terminated at one end with Neutrik 3- pole XLR female & at the other with a Neutrik phono plug. Neutrik XLR connectors are nickel finish with silver contacts or can be upgraded to black shells with silver or gold contacts. 10 different colours of strain relief boots can be fitted at this end if required. Boot colours and upgrades incur a small additional costing. Neutrik phono plug connectors are black bodied with a choice of 6 different colour I.D.'s. (Black supplied as standard) Cable available in 10 different colours.



Order code	Length	1+	10+	25+
R-101-746-104	0.25m	9.53	8.55	7.29
R-101-083-104	0.5m	9.71	8.71	7.43
R-101-084-104	1m	10.07	9.03	7.70
R-101-352-104	2m	10.81	9.69	8.26
R-101-085-104	3m	11.55	10.36	8.83
R-101-086-104	5m	13.00	11.66	9.94
R-101-353-104	10m	16.63	14.92	12.72

## XLR male NC3MX to heavy duty phono 45

Van Damme 6.00mm SPOFC Classic Instrument cable terminated at one end with a Neutrik 3- pole XLR male & at the other with a heavy-duty Van Damme phono plug. Neutrik XLR connectors are nickel finish with silver contacts or can be upgraded to black shells with silver or gold contacts. 10 different colours of strain relief boots can be fitted at this end if required. Boot colours and upgrades incur a small additional costing. Van Damme phono plugs are available with 2 different I.D. colours. (Red supplied as standard) Cable available in 10 different colours.



Order code	Length	1+	10+	25+
R-101-747-004	0.25m	11.19	10.03	8.55
R-101-357-004	0.5m	11.37	10.20	8.69
R-101-358-004	1m	11.73	10.52	8.97
R-101-359-004	2m	12.47	11.18	9.53
R-101-360-004	3m	13.20	11.84	10.09
R-101-361-004	5m	14.66	13.15	11.21
R-101-362-004	10m	18.29	16.40	13.98



COMPANY PROFILE



CABLE



MANUFACTURING



LIGHTING



CONNECTORS



PATCHING



RACKING



MAINS



CABLE ACCESSORIES



MISCELLANEOUS



VAN DAMME



APPENDIX



INDEX

# manufacturing

## 46 XLR female NC3FX to heavy duty phono



Van Damme 6.00mm SPOFC Classic Instrument cable terminated at one end with a Neutrik 3- pole XLR female & at the other with a heavy-duty Van Damme phono plug. Neutrik XLR connectors are nickel finish with silver contacts or can be upgraded to black shells with silver or gold contacts. 10 different colours of strain relief boots can be fitted at this end if required. Boot colours and upgrades incur a small additional costing. Van Damme phono

plugs are available with 2 different I.D. colours. (Red supplied as standard) Cable available in 10 different colours.

Order code	Length	1+	10+	25+
R-101-747-104	0.25m	11.53	10.34	8.81
R-101-357-104	0.5m	11.71	10.50	8.95
R-101-358-104	1m	12.07	10.82	9.23
R-101-359-104	2m	12.80	11.48	9.79
R-101-360-104	3m	13.54	12.15	10.35
R-101-361-104	5m	15.00	13.45	11.47
R-101-362-104	10m	18.63	16.71	14.24

## 47 XLR male NC3MX to GPO jack NP3TB



Van Damme 6.35mm SPOFC Classic Microphone cable terminated at one end with a Neutrik 3-pole XLR male and at the other with a GPO B-gauge jack plug. Neutrik XLR connectors are nickel finish with silver contacts or can be upgraded to black shells with silver or gold contacts. 10 different colours of strain relief boots can be fitted at this end if required. Boot colours and upgrades incur a small additional costing. The GPO plug is available with black or red bodies. (Black

supplied as standard) Cable available in 10 different colours.

Order code	Length	1+	10+	25+
R-101-748-005	0.25m	13.28	11.91	10.16
R-101-087-005	0.5m	13.48	12.09	10.31
R-101-088-005	1m	13.90	12.47	10.63
R-101-366-005	2m	14.76	13.24	11.28
R-101-089-005	3m	15.62	14.01	11.94
R-101-090-005	5m	17.33	15.54	13.25
R-101-367-005	10m	21.62	19.39	16.53
R-101-368-005	15m	25.91	23.24	19.81
R-101-369-005	20m	30.20	27.08	23.09

## 48 XLR female NC3MX to GPO jack NP3TB



Van Damme 6.35mm SPOFC Classic Microphone cable terminated at one end with a Neutrik 3-pole XLR female and at the other with a GPO B-gauge jack plug. Neutrik XLR connectors are nickel finish with silver contacts or can be upgraded to black shells with silver or gold contacts. 10 different colours of strain relief boots can be fitted at this end if required. Boot colours and upgrades incur a small additional costing. The GPO plug is available with black or red bodies. (Black

supplied as standard) Cable available in 10 different colours.

Order code	Length	1+	10+	25+
R-101-748-105	0.25m	13.62	12.22	10.42
R-101-087-105	0.5m	13.82	12.40	10.57
R-101-088-105	1m	14.24	12.77	10.89
R-101-366-105	2m	15.10	13.54	11.54
R-101-089-105	3m	15.96	14.31	12.20
R-101-090-105	5m	17.67	15.85	13.51
R-101-367-105	10m	21.96	19.69	16.79
R-101-749-105	15m	26.25	23.54	20.07
R-101-750-105	20m	30.53	27.39	23.35



COMPANY PROFILE



CABLE



MANUFACTURING



LIGHTING



CONNECTORS



PATCHING



RACKING



MAINS



CABLE ACCESSORIES



MISCELLANEOUS



VAN DAMME



APPENDIX



INDEX

# audio single leads

## XLR male NC3MX to bantam jack NP3TT-1 (49)

Van Damme 4.85mm SPOFC Classic Pro-Patch cable terminated at one end with a Neutrik 3-pole male XLR and at the other with a Neutrik crimp style bantam jack plug. Neutrik XLR connectors are nickel finish with silver contacts or can be upgraded to black shells with silver or gold contacts. The XLR has 10 different colours of strain relief boots and the bantam plug 10 different colours of sleeve available if required. Boot/sleeve colours and upgrades incur a small additional costing. Cable available in 10 different colours.



Order code	Length	1+	10+	25+
R-101-752-006	0.25m	13.46	12.07	10.29
R-101-079-006	0.5m	13.68	12.27	10.46
R-101-080-006	1m	14.08	12.63	10.77
R-101-350-006	2m	14.94	13.40	11.42
R-101-081-006	3m	15.80	14.17	12.08
R-101-082-006	5m	17.51	15.70	13.39
R-101-351-006	10m	21.80	19.55	16.67
R-101-753-006	15m	26.09	23.40	19.95
R-101-754-006	20m	30.37	27.24	23.22

## XLR female NC3FX to bantam jack NP3TT-1 (50)

Van Damme 4.85mm SPOFC Classic Pro-Patch cable terminated at one end with a Neutrik 3-pole female XLR and at the other with a Neutrik crimp style bantam jack plug. Neutrik XLR connectors are nickel finish with silver contacts or can be upgraded to black shells with silver or gold contacts. The XLR has 10 different colours of strain relief boots and the bantam plug 10 different colours of sleeve available if required. Boot/sleeve colours and upgrades incur a small additional costing. Cable available in 10 different colours.



Order code	Length	1+	10+	25+
R-101-752-106	0.25m	13.80	12.38	10.55
R-101-079-106	0.5m	14.00	12.56	10.70
R-101-080-106	1m	14.42	12.93	11.03
R-101-350-106	2m	15.24	13.67	11.65
R-101-081-106	3m	16.13	14.47	12.34
R-101-082-106	5m	17.85	16.01	13.65
R-101-351-106	10m	22.14	19.85	16.93
R-101-753-106	15m	26.45	23.72	20.22
R-101-754-106	20m	30.71	27.55	23.48



COMPANY PROFILE



CABLE



MANUFACTURING



LIGHTING



CONNECTORS



PATCHING



RACKING



MAINS



CABLE ACCESSORIES



MISCELLANEOUS



VAN DAMME



APPENDIX



INDEX

# manufacturing



COMPANY PROFILE



CABLE



MANUFACTURING



LIGHTING



CONNECTORS



PATCHING



RACKING



MAINS



CABLE ACCESSORIES



MISCELLANEOUS



VAN DAMME



APPENDIX



INDEX

## 51 XLR male NC3MX to mini stereo-jack



Van Damme 4.85mm SPOFC Classic Pro-Patch cable terminated at one end with a Neutrik 3-pole XLR male and at the other with a small-bodied nickel 3.5mm mini stereo-jack plug. The small profile of these connectors is suited for applications where space is limited such as with PC's or projectors. Please advise at time of order whether this assembly should be wired for L/R audio summing or for remote control applications. Neutrik XLR connectors are nickel

finish with silver contacts or can be upgraded to black shells with silver or gold contacts. Boot colours and upgrades incur a small additional costing. The mini stereo-jack plug is only available with a nickel finish. Cable available in 10 different colours.

Order code	Length	1+	10+	25+
R-101-442-008	0.25m	9.19	8.25	7.03
R-101-443-008	0.5m	9.37	8.41	7.17
R-101-444-008	1m	9.73	8.73	7.44
R-101-445-008	2m	10.47	9.39	8.01
R-101-446-008	3m	11.21	10.05	8.57
R-101-447-008	5m	12.66	11.36	9.68
R-101-426-008	10m	16.29	14.61	12.46
R-101-756-008	15m	19.94	17.89	15.25
R-101-757-008	20m	23.59	21.16	18.04

## 52 XLR female NC3FX to mini stereo-jack



Van Damme 4.85mm SPOFC Classic Pro-Patch cable terminated at one end with a Neutrik 3-pole XLR female and at the other with a small-bodied nickel 3.5mm mini stereo-jack plug. The small profile of these connectors is suited for applications where space is limited such as with PC's or projectors. Please advise at time of order whether this assembly should be wired for L/R audio summing or for remote control applications. Neutrik XLR connectors are nickel

finish with silver contacts or can be upgraded to black shells with silver or gold contacts. Boot colours and upgrades incur a small additional costing. The mini stereo-jack plug is only available with a nickel finish. Cable available in 10 different colours.

Order code	Length	1+	10+	25+
R-101-442-108	0.25m	9.53	8.55	7.29
R-101-443-108	0.5m	9.71	8.71	7.43
R-101-444-108	1m	10.07	9.03	7.70
R-101-445-108	2m	10.81	9.69	8.26
R-101-446-108	3m	11.55	10.36	8.83
R-101-447-108	5m	13.00	11.66	9.94
R-101-426-108	10m	16.63	14.92	12.72
R-101-756-108	15m	20.28	18.19	15.51
R-101-757-108	20m	23.93	21.46	18.30

# audio single leads

## XLR male NC3MX to Heavy duty mini stereo-jack 53

Van Damme 6.35mm SPOFC Classic Microphone cable terminated at one end with a Neutrik 3-pole XLR male and at the other with a large-bodied metal 3.5mm mini stereo-jack plug. Please advise at time of order whether this assembly should be wired for L/R audio summing or for remote control applications. Neutrik XLR connectors are nickel finish with silver contacts or can be upgraded to black shells with silver or gold contacts with a choice of 10 different colour strain relief boots if required. Boot colours and upgrades incur a small additional costing. The mini stereo-jack connectors are made from nickel-plated zinc and are fitted with spring cable protection. Cable available in 10 different colours.



Order code	Length	1+	10+	25+
R-101-759-008	0.25m	9.95	8.93	7.61
R-101-760-008	0.5m	10.19	9.14	7.79
R-101-761-008	1m	10.59	9.50	8.10
R-101-762-008	2m	11.47	10.29	8.77
R-101-763-008	3m	12.31	11.04	9.41
R-101-764-008	5m	14.04	12.59	10.74
R-101-765-008	10m	18.33	16.44	14.01
R-101-766-008	15m	22.64	20.30	17.31
R-101-767-008	20m	26.92	24.15	20.59

## XLR female NC3FX to Heavy duty mini stereo-jack 54

Van Damme 6.35mm SPOFC Classic Microphone cable terminated at one end with a Neutrik 3-pole XLR female and at the other with a large-bodied metal 3.5mm mini stereo-jack plug. Please advise at time of order whether this assembly should be wired for L/R audio summing or for remote control applications. Neutrik XLR connectors are nickel finish with silver contacts or can be upgraded to black shells with silver or gold contacts with a choice of 10 different colour strain relief boots if required. Boot colours and upgrades incur a small additional costing. The mini stereo-jack connectors are made from nickel-plated zinc and are fitted with spring cable protection. Cable available in 10 different colours.



Order code	Length	1+	10+	25+
R-101-759-108	0.25m	10.29	9.23	7.87
R-101-760-108	0.5m	10.53	9.44	8.05
R-101-761-108	1m	10.95	9.82	8.37
R-101-762-108	2m	11.81	10.59	9.03
R-101-763-108	3m	12.64	11.34	9.67
R-101-764-108	5m	14.38	12.90	10.99
R-101-765-108	10m	18.67	16.74	14.27
R-101-766-108	15m	22.98	20.61	17.57
R-101-767-108	20m	27.26	24.45	20.85

## XLR male NC3MX to stereo-jack socket NJ3FC6C 55

Van Damme 6.35mm SPOFC Classic Microphone cable terminated at one end with a Neutrik 3-pole XLR male and at the other with a stereo-jack socket. Neutrik XLR connectors are nickel finish with silver contacts or can be upgraded to black shells with silver or gold contacts. Stereo-jack socket shells are available in nickel or can be upgraded to a black finish. 10 different colours of strain relief boots can be fitted at one or both ends if required. Boot colours and upgrades incur a small additional costing. Cable available in 10 different colours.



Order code	Length	1+	10+	25+
R-101-769-009	0.25m	13.34	11.97	10.20
R-101-432-009	0.5m	13.54	12.15	10.35
R-101-433-009	1m	13.96	12.52	10.67
R-101-434-009	2m	14.82	13.29	11.33
R-101-435-009	3m	15.68	14.06	11.99
R-101-436-009	5m	17.39	15.60	13.30
R-101-437-009	10m	21.68	19.44	16.58



COMPANY PROFILE



CABLE



MANUFACTURING



LIGHTING



CONNECTORS



PATCHING



RACKING



MAINS



CABLE ACCESSORIES



MISCELLANEOUS



VAN DAMME



APPENDIX



INDEX

# manufacturing



COMPANY PROFILE



CABLE



MANUFACTURING



LIGHTING



CONNECTORS



PATCHING



RACKING



MAINS



CABLE ACCESSORIES



MISCELLANEOUS



VAN DAMME



APPENDIX



INDEX

## 56 XLR female NC3FX to stereo-jack socket NJ3FC6C



Van Damme 6.35mm SPOFC Classic Microphone cable terminated at one end with a Neutrik 3 pole XLR female and at the other with a stereo-jack socket. Neutrik XLR connectors are nickel finish with silver contacts or can be upgraded to black shells with silver or gold contacts. Stereo-jack socket shells are available in nickel or can be upgraded to a black finish. 10 different colours of strain relief boots can be fitted at one or both ends if required. Boot

colours and upgrades incur a small additional costing. Cable available in 10 different colours.

Order code	Length	1+	10+	25+
R-101-769-109	0.25m	13.68	12.27	10.46
R-101-432-109	0.5m	13.88	12.45	10.61
R-101-433-109	1m	14.30	12.83	10.93
R-101-434-109	2m	15.16	13.59	11.59
R-101-435-109	3m	16.02	14.36	12.24
R-101-436-109	5m	17.73	15.90	13.56
R-101-437-109	10m	22.02	19.75	16.83

## 57 Neutrik phono to phono



Van Damme 6.00mm SPOFC Classic Instrument cable terminated at both ends with Neutrik phonos plugs. Neutrik phono connectors are black bodied with a choice of 6 different colour I.D.'s. (Black fitted at each end as standard) Cable available in 10 different colours

Order code	Length	1+	10+	25+
R-101-369-404	0.25m	9.19	8.25	7.03
R-101-091-404	0.5m	9.37	8.41	7.17
R-101-092-404	1m	9.73	8.73	7.44
R-101-370-404	2m	10.47	9.39	8.01
R-101-093-404	3m	11.21	10.05	8.57
R-101-094-404	5m	12.66	11.36	9.68
R-101-095-404	10m	16.29	14.61	12.46
R-101-371-404	15m	19.94	17.89	15.25
R-101-770-404	20m	23.59	21.16	18.04

## 58 Heavy duty phono to phono



Van Damme 6.00mm SPOFC Classic Instrument cable terminated at both ends with Van Damme heavy-duty phono plugs. Van Damme phono plugs are available with 2 different I.D. colours. (Red fitted as standard) Cable available in 10 different colours.

Order code	Length	1+	10+	25+
R-101-373-404	0.25m	13.74	12.32	10.51
R-101-374-404	0.5m	13.92	12.49	10.64
R-101-375-404	1m	14.26	12.79	10.90
R-101-376-404	2m	14.96	13.42	11.44
R-101-377-404	3m	15.66	14.04	11.97
R-101-378-404	5m	17.05	15.29	13.04
R-101-379-404	10m	20.50	18.39	15.68
R-101-380-404	15m	23.97	21.50	18.33
R-101-772-404	20m	27.44	24.61	20.98

# audio single leads

## Neutrik Profi phono to Profi phono (59)

Van Damme 6.00mm SPOFC Classic Instrument cable terminated at both ends with Neutrik Profi phono plugs. Profi phono plugs are only available in pairs with each pair containing 1 red and 1 black plug. Each single lead is therefore made up with a red I.D at one end and black at the other. If pairs of leads are ordered, it is possible to use the same colour connector at each end if specified. Cable available in 10 different colours.



Order code	Length	1+	10+	25+
R-101-381-404	0.25m	18.65	16.72	14.26
R-101-096-404	0.5m	18.85	16.90	14.41
R-101-097-404	1m	19.21	17.23	14.68
R-101-382-404	2m	19.94	17.89	15.25
R-101-098-404	3m	20.68	18.55	15.81
R-101-099-404	5m	22.16	19.87	16.94
R-101-100-404	10m	25.87	23.20	19.78
R-101-383-404	15m	29.60	26.54	22.63
R-101-774-404	20m	33.33	29.89	25.48

## Neutrik twin phono to twin phono (60)

VDC twin figure-8, 2 pair SP-OFC cable terminated at both ends with a pair of Neutrik twin phonos. Phono plugs are wired black to black and red to red to easily identify left and right channels. Cable only available in blue.



Order code	Length	1+	10+	25+
R-101-384-969	0.25m	15.76	14.13	12.05
R-101-385-969	0.5m	16.07	14.42	12.29
R-101-386-969	1m	16.69	14.97	12.76
R-101-387-969	2m	17.95	16.10	13.72
R-101-388-969	3m	19.21	17.23	14.68
R-101-389-969	5m	21.72	19.48	16.61
R-101-390-969	10m	27.92	25.04	21.35
R-101-391-969	15m	34.18	30.66	26.14
R-101-776-969	20m	40.45	36.27	30.92

## heavy duty twin phono to twin phono (61)

Van Damme 2 pair pre-jacketed Blue Series Studio Grade multicore terminated at both ends with a pair of heavy duty Van Damme phono plugs. Supplied with 0.15m pliosil breakouts at each end. Van Damme phono plugs are wired black to black and red to red to easily identify left and right channels. Cable only available in blue.



Order code	Length	1+	10+	25+
R-101-780-969	1m	39.75	35.65	30.39
R-101-781-969	2m	42.62	38.22	32.59
R-101-782-969	3m	45.49	40.80	34.78
R-101-783-969	5m	51.24	45.95	39.17
R-101-784-969	10m	65.60	58.83	50.15
R-101-785-969	15m	79.96	71.71	61.13
R-101-786-969	20m	94.32	84.59	72.11



COMPANY PROFILE



CABLE



MANUFACTURING



LIGHTING



CONNECTORS



PATCHING



RACKING



MAINS



CABLE ACCESSORIES



MISCELLANEOUS



VAN DAMME



APPENDIX



INDEX

# manufacturing

## 62 Neutrik phono to GPO jack NP3TB



Van Damme 6.35mm SPOFC Classic Microphone cable terminated at one end with a Neutrik phono plug and at the other with a Neutrik GPO B-gauge jack plug. Neutrik phono connectors are black bodied with a choice of 6 different colour I.D.'s. The GPO plug is available with black or red bodies. (Black plugs supplied at both ends as standard) Cable available in 10 different colours.

Order code	Length	1+	10+	25+
R-101-788-405	0.25m	13.12	11.77	10.03
R-101-109-405	0.5m	13.32	11.95	10.19
R-101-110-405	1m	13.66	12.25	10.45
R-101-394-405	2m	14.36	12.88	10.98
R-101-111-405	3m	15.04	13.49	11.50
R-101-112-405	5m	16.43	14.74	12.57
R-101-395-405	10m	19.88	17.83	15.20
R-101-789-405	15m	23.33	20.93	17.84
R-101-790-405	20m	26.78	24.02	20.48

## 63 Neutrik phono to bantam jack NP3TT-1



Van Damme 4.85mm SPOFC Classic Pro-Patch cable terminated at one end with a Neutrik phono plug and at the other with a Neutrik crimp style bantam jack plug. Neutrik phono connectors are black bodied with a choice of 6 different colour I.D.'s. (Black supplied as standard) The bantam plug has a choice of 10 different coloured sleeves available if required. Sleeve colours incur a small additional costing. (Black supplied as standard) Cable available in 10 different colours.

Order code	Length	1+	10+	25+
R-101-792-406	0.25m	13.30	11.93	10.17
R-101-105-406	0.5m	13.50	12.11	10.32
R-101-106-406	1m	13.86	12.43	10.60
R-101-392-406	2m	14.56	13.06	11.13
R-101-107-406	3m	15.24	13.67	11.65
R-101-108-406	5m	16.61	14.90	12.70
R-101-293-406	10m	20.08	18.01	15.36
R-101-793-406	15m	23.55	21.12	18.01
R-101-794-406	20m	27.02	24.24	20.66

## 64 Neutrik GPO jack NP3TB to GPO jack NP3TB



Van Damme 6.35mm SPOFC Classic Microphone cable terminated at both ends with Neutrik GPO B-gauge jack plugs. The GPO plugs are available with black or red bodies. (Black supplied as standard) Cable available in 10 different colours.

Order code	Length	1+	10+	25+
R-101-120-505	300mm	16.07	14.42	12.29
R-101-121-505	600mm	16.41	14.72	12.55
R-101-122-505	900mm	16.75	15.03	12.81
R-101-407-505	1200mm	17.07	15.31	13.05
R-101-408-505	2000mm	17.91	16.06	13.69



COMPANY PROFILE



CABLE



MANUFACTURING



LIGHTING



CONNECTORS



PATCHING



RACKING



MAINS



CABLE ACCESSORIES



MISCELLANEOUS



VAN DAMME



APPENDIX



INDEX

# audio single leads

## Neutrik bantam NP3TT-1 to bantam NP3TT-1 (65)

Van Damme 4.85mm SPOFC Classic Pro-Patch cable terminated both ends with a Neutrik crimp-style bantam jack plug. The bantam plug has a choice of 10 different coloured sleeves available if required. Sleeve colours incur a small additional costing. (Black supplied as standard) Cable available in 10 different colours.



Order code	Length	1+	10+	25+
R-101-113-606	300mm	14.80	13.27	11.31
R-101-114-606	600mm	15.08	13.52	11.53
R-101-115-606	900mm	15.36	13.77	11.74
R-101-116-606	1200mm	15.64	14.02	11.96
R-101-396-606	2000mm	16.37	14.69	12.52

## Rean moulded bantam to bantam assemblies (66)

A range of pre-moulded bantam jack plug to plug leads in 6 lengths and 5 colours. All contacts are nickel-plated and terminated using flexible starquad cable.



Order code	Length	1+	10+	50+
R-101-399-606	300mm BLACK	6.84	6.42	5.60
R-101-600-626	300mm RED	6.84	6.42	5.60
R-101-602-656	300mm GREEN	6.84	6.42	5.60
R-101-604-666	300mm BLUE	6.84	6.42	5.60
R-101-606-696	300mm WHITE	6.84	6.42	5.60
R-101-624-606	450mm BLACK	6.92	6.53	5.69
R-101-626-626	450mm RED	6.92	6.53	5.69
R-101-628-656	450mm GREEN	6.92	6.53	5.69
R-101-628-666	450mm BLUE	6.92	6.53	5.69
R-101-630-696	450mm WHITE	6.92	6.53	5.69
R-101-400-606	600mm BLACK	7.14	6.80	5.90
R-101-608-626	600mm RED	7.14	6.80	5.90
R-101-610-656	600mm GREEN	7.14	6.80	5.90
R-101-612-666	600mm BLUE	7.14	6.80	5.90
R-101-614-696	600mm WHITE	7.14	6.80	5.90
R-101-401-606	900mm BLACK	7.31	6.98	6.05
R-101-616-626	900mm RED	7.31	6.98	6.05
R-101-618-656	900mm GREEN	7.31	6.98	6.05
R-101-620-666	900mm BLUE	7.31	6.98	6.05
R-101-622-696	900mm WHITE	7.31	6.98	6.05
R-101-632-606	1200mm BLACK	7.48	7.14	6.19
R-101-634-626	1200mm RED	7.48	7.14	6.19
R-101-636-656	1200mm GREEN	7.48	7.14	6.19
R-101-638-666	1200mm BLUE	7.48	7.14	6.19
R-101-640-696	1200mm WHITE	7.48	7.14	6.19
R-101-642-606	1800mm BLACK	7.80	7.45	6.46
R-101-644-626	1800mm RED	7.80	7.45	6.46
R-101-646-656	1800mm GREEN	7.80	7.45	6.46
R-101-648-666	1800mm BLUE	7.80	7.45	6.46
R-101-650-696	1800mm WHITE	7.80	7.45	6.46



COMPANY PROFILE



CABLE



MANUFACTURING



LIGHTING



CONNECTORS



PATCHING



RACKING



MAINS



CABLE ACCESSORIES



MISCELLANEOUS



VAN DAMME



APPENDIX



INDEX

# manufacturing

## 67 Neutrik bantam NP3TT-1 to GPO jack NP3TB



Van Damme 4.85mm SPOFC Classic Pro-Patch cable terminated at one end with a Neutrik crimp style bantam jack plug and at the other with a GPO B-gauge jack plug. The bantam plug has a choice of 10 different coloured sleeves available if required. Sleeve colours incur a small additional costing. (Black supplied as standard) The GPO plug is available with black or red bodies. (Black supplied as standard) Cable available in 10 different colours.

Order code	Length	1+	10+	25+
R-101-402-605	300mm	15.48	13.88	11.83
R-101-403-605	600mm	15.76	14.13	12.05
R-101-404-605	900mm	16.04	14.38	12.26
R-101-405-605	1200mm	16.31	14.63	12.47
R-101-406-605	2000mm	17.05	15.29	13.04

## 68 Midi to midi



Van Damme 4.85mm SPOFC Classic Pro-Patch cable terminated at both ends with metal-bodied 5-pole midi plug. The pin configuration of these connectors is 180 Degrees. Cable available in 10 colours.

Order code	Length	1+	10+	25+
R-101-410-909	0.25m	10.81	9.69	8.26
R-101-128-909	0.5m	11.01	9.87	8.42
R-101-129-909	1m	11.37	10.20	8.69
R-101-411-909	2m	12.07	10.82	9.23
R-101-130-909	3m	12.76	11.45	9.76
R-101-131-909	5m	14.16	12.70	10.83
R-101-412-909	10m	17.65	15.83	13.50
R-101-413-909	15m	21.14	18.96	16.16
R-101-796-909	20m	24.63	22.09	18.83
R-101-797-909	30m	31.61	28.35	24.17

## 69 Right-angled mini stereo-jack to right-angled mini stereo-jack



A pre-moulded gold-plated right-angle 3.5mm stereo-jack plug to plug on twin figure-8 balanced cable. The right angle connectors are compact and ideal for situations where space is limited. Cable only available in black at 1.5m.

Order code	Length	1+	10+	25+
R-101-824-808	1.5m	5.35	4.79	4.09



COMPANY PROFILE



CABLE




MANUFACTURING



LIGHTING



CONNECTORS



PATCHING



RACKING



MAINS



CABLE ACCESSORIES



MISCELLANEOUS



VAN DAMME



APPENDIX



INDEX

# audio single leads

## Right-angled mini stereo-jack to XLR male NC3MX (70)

A pre-moulded gold plated right-angle 3.5mm stereo-jack plug to Neutrik 3-pole XLR male on twin figure-8 balanced cable. Please advise at time of order whether this assembly should be wired for L/R audio summing or for remote control applications. Neutrik XLR connectors are nickel finish with silver contacts or can be upgraded to black shells with silver or gold contacts. 10 different colours of strain relief boots can be fitted at this end if required. Boot colours and upgrades incur a small additional costing. Cable only available in black. Maximum length 5m.



Order code	Length	1+	10+	25+
R-101-798-800	0.25m	9.37	8.41	7.17
R-101-799-800	0.5m	9.37	8.41	7.17
R-101-800-800	1m	9.37	8.41	7.17
R-101-801-800	2m	9.37	8.41	7.17
R-101-802-800	3m	9.37	8.41	7.17
R-101-803-800	5m	9.37	8.41	7.17

## Right-angled mini stereo-jack to XLR female NC3FX (71)

A pre-moulded gold plated right-angle 3.5mm stereo-jack plug to 3-pole XLR female on twin figure of 8 balanced cable. Please advise at time of order whether this assembly should be wired for L/R audio summing or for remote control applications. Neutrik XLR connectors are nickel finish with silver contacts or can be upgraded to black shells with silver or gold contacts. 10 different colours of strain relief boots can be fitted at this end if required. Boot colours and upgrades incur a small additional costing. Cable only available in black. Maximum length 5m.



Order code	Length	1+	10+	25+
R-101-798-801	0.25m	9.71	8.71	7.43
R-101-799-801	0.5m	9.71	8.71	7.43
R-101-800-801	1m	9.71	8.71	7.43
R-101-801-801	2m	9.71	8.71	7.43
R-101-802-801	3m	9.71	8.71	7.43
R-101-803-801	5m	9.71	8.71	7.43

## Right-angled 3.5mm mini stereo-jack to bare end (72)

A pre-moulded gold plated right-angle 3.5mm stereo-jack plug to bare end on twin figure-8 balanced cable. Cable only available in black at 5m.



Order code	Length	1+	10+	25+
R-104-250-807	5m	5.35	4.79	4.09

## Toslink assemblies (73)

VDC Toslink cables are manufactured to rigorous tolerances and feature a highly flexible and well-protected POF (plastic optical fibre) cable. The optical connectors are housed in tough metal shells, colour coded for length as follows:

1m Blue, 3m Purple, 5m Silver, 7m Red, 10m Gold.



Stock code	Description	1+	10+	25+
R-101-414-000	1m Toslink cable	11.43	10.25	8.74
R-101-451-000	3m Toslink cable	17.71	15.88	13.54
R-101-448-000	5m Toslink cable	24.05	21.57	18.39
R-101-449-000	7m Toslink cable	30.33	27.21	23.19
R-101-450-000	10m Toslink cable	39.79	35.68	30.42



COMPANY PROFILE



CABLE



MANUFACTURING



LIGHTING



CONNECTORS



PATCHING



RACKING



MAINS



CABLE ACCESSORIES



MISCELLANEOUS



VAN DAMME



APPENDIX



INDEX

# manufacturing

## 74 AES Digital microphone cable NC3MX to NC3FX



Van Damme AES Digital Microphone cable terminated with a Neutrik male 3-pole XLR connector at one end and a female 3-pole XLR connector at the other. This cable is low capacitance and maintains constant impedance of 110 ohms. Neutrik XLR connectors are nickel finish with silver contacts or can be upgraded to black shells with silver or gold contacts. 10 different colours of strain relief boots can be fitted at either end if required. Boot colours and upgrades incur a small additional costing. Cable only available in green.

Order code	Length	1+	10+	25+
R-101-804-051	0.25m	9.19	8.25	7.03
R-101-805-051	0.5m	9.41	8.44	7.20
R-101-806-051	1m	9.85	8.84	7.53
R-101-807-051	2m	10.75	9.64	8.22
R-101-808-051	3m	11.65	10.45	8.91
R-101-809-051	5m	13.44	12.06	10.28
R-101-810-051	10m	17.93	16.08	13.71
R-101-811-051	15m	22.42	20.11	17.14
R-101-812-051	20m	26.90	24.13	20.57
R-101-813-051	30m	35.88	32.18	27.43

## 75 AES Digital microphone cable using Neutrik digital XLR's NC3MXCC to NC3FXCC



Van Damme AES Digital Microphone cable terminated with a Neutrik digital male 3-pole XLR connector at one end and a digital female 3-pole XLR connector at the other. This cable is low capacitance and maintains constant impedance of 110 ohms. Neutrik digital XLR connectors are a nickel finish with gold contacts. 10 different colours of strain relief boots can be fitted at either end if required. Boot colours incur a small additional costing. Cable only available in green.

Order code	Length	1+	10+	25+
R-101-814-051	0.25m	16.93	15.19	12.95
R-101-815-051	0.5m	17.15	15.38	13.11
R-101-816-051	1m	17.61	15.79	13.46
R-101-817-051	2m	18.51	16.60	14.15
R-101-818-051	3m	19.41	17.40	14.84
R-101-819-051	5m	21.20	19.01	16.21
R-101-820-051	10m	25.69	23.04	19.64
R-101-821-051	15m	30.18	27.06	23.07
R-101-822-051	20m	34.58	31.02	26.44
R-101-823-051	30m	43.56	39.07	33.30

## 76 SPDIF Neutrik phono to phono (75 Ohm coaxial)



Van Damme 6.10mm SPOFC 75 Ohm standard video co-axial cable terminated at both ends with Neutrik phono plugs. This assembly is for use with SP/DIF digital audio signals and word clock. Neutrik phono connectors are black bodied with a choice of 6 different colour I.D.'s. (Black fitted as standard) Cable available in 5 different colours.

Order code	Length	1+	10+	25+
R-110-266-404	0.25m	9.83	8.82	7.52
R-110-267-404	0.5m	10.03	9.00	7.67
R-110-268-404	1m	10.41	9.34	7.96
R-110-269-404	2m	11.21	10.05	8.57
R-110-270-404	3m	11.99	10.75	9.16
R-110-271-404	5m	13.54	12.15	10.35
R-110-272-404	10m	17.43	15.63	13.33
R-110-273-404	15m	21.34	19.14	16.32
R-110-274-404	20m	25.25	22.65	19.31
R-110-275-404	30m	33.03	29.62	25.25



COMPANY PROFILE



CABLE



MANUFACTURING



LIGHTING



CONNECTORS



PATCHING



RACKING



MAINS



CABLE ACCESSORIES



MISCELLANEOUS



VAN DAMME



APPENDIX



INDEX